

Table 8-1: Controlled Area and Activity and Use Limitations Summary

Controlled Area ID	SWMU ID(s)	SWMU Description	Activity and Use Limitations					
			Growing Edible Plants Prohibited	Limited Residential Use Restriction	Disturbance Limitation	Irrigation Limitation	Water Features Prohibited	Construction Limitation
1	24	Old boiler Building, Boiler Blowdown, and Storage Tank		•	•		•	
2	26C	Northwest Manufacturing Complex		•	•		•	
3	26A	Northwest Manufacturing Complex	•		•		•	
	35	Slurry House and Sump						
4	39	Building 60	•		•		•	
5	36	Case House Complex	•		•		•	
6	33	Boneyard	•		•		•	
7	6	Building 17	•		•		•	
8	10	Breakout Building	•		•		•	
9	12	Burn Pit and Burn Cage Storage Area	•		•		•	
	28	East Central Disposal Sites (West side)						
10	28	East Central Disposal Sites (East side)	•		•		•	
11	5	Building 18	•		•		•	
12	7	Building 65	•		•		•	
13	22	Building 20	•		•		•	
14	19	New PETN Nitration Building, Old RDX Recrystallization Building, RDX Recrystallization Storage Tanks	•		•		•	
15	17	Boiler Building, Blowdown, and Fuel Oil Tanks		•	•		•	
16	31	Specialty Nitrates Manufacturing Complex	•		•		•	
17	18	Building 3 and Sanitary Septic System	•		•		•	
18	41	Old Dryer	•		•		•	
19	1	North Impoundment Area and Wastewater Conveyance Structure	•		•	•	•	
	14	North End Stream Trap						
	30	Northeast Manufacturing Complex - Outside of HMX Crystallizer Subarea						
	42	RDX Accumulation Tanks						
20	30	Northeast Manufacturing Complex - HMX Crystallizer Subarea	•		•	•	•	•
21	2	PETN Pack House and Sump	•		•		•	
22	16	Quality Control Testing Area	•		•		•	
23	1DA	Wastewater Dispersion Area	•		•	•	•	•

Controlled Area 24 is an area of the Site having a Ground Water Use Limitation due to existing ground water quality conditons (see Figure 8-1)

Activity and Use Limitations Described in the Site Management Plan